TALLER de búsquedas: COCHRANE PLUS

GTPBE
Grupo de Trabajo
de Pediatría Basada
en la Evidencia

Curso PBE, Alicante

Alicante, 24 y 25 noviembre 2011

La Biblioteca Cochrane Plus

UPDATE SOFTWARE

VÍNCULOS

- Acceder a la Biblioteca Cochrane Plus
- Registrar un nombre de usuario

Acceder a la Biblioteca Cochrane Plus

Hacer clic en ACCEDER para iniciar la Biblioteca Cochrane Plus.

ACCEDER

Hacer clic aquí para acceder mediante nombre de usuario y contraseña

---

Instrucciones:
Si usted ya posee una suscripción o es miembro de una organización que está suscrita, puede acceder a la Biblioteca Cochrane Plus de forma anónima o mediante un nombre y una contraseña.
En caso de problemas con el acceso, contactar con Infoglobal Suport:
Tel: +34 93 - 726 30 44 / +34 93 - 726 81 36
cochrane@infoglobal-suport.com

El canal RSS XML

El RSS puede avisarle cada vez que aparece un nueva revisión Cochrane. Hacer clic aquí para saber más

Edición de la Biblioteca Cochrane Plus:

InfoGlobal Suport	Centro Cochrane Iberoamericano	El Centro Cochrane Iberoamericano está ubicado en

Contribuciones a la traducción:
La traducción de las revisiones Cochrane ha sido realizada por el Centro Cochrane Iberoamericano. Asimismo, el Instituto de Salud Carlos III, a través de la Acción Especial 01/8131, y el Ministerio de Sanidad y Poltica Social, haciendo posible la suscripción universal para España, han contribuido al mantenimiento de las actividades de traducción.

El acceso universal gratuito a la *BCP*, en **todo el territorio español**, es posible gracias a la suscripción realizada por el Ministerio de Sanidad y Poltica Social.

GOBIERNO DE ESPAÑA — MINISTERIO DE SANIDAD, POLITICA SOCIAL E IGUALDAD

BIREME/OPS/OMS gestiona el nuevo Portal de Cochrane en la Biblioteca Virtual en Salud (BVS). El Portal ofrece el acceso libre a *La Biblioteca Cochrane Plus* y a sus contenidos a todos los profesionales de salud que se conecten desde **los países de América Latina y del Caribe**. Haga clic aquí para acceder al Portal Cochrane BVS.

Los usuarios en los **países no hispanohablantes** pueden acceder a la *BCP* mediante suscripción. Haga clic aquí para suscribirse a la *BCP*.

Inicio | 6 Microsoft Office P... | La Biblioteca Cochran... | ES | 21:18

La Biblioteca Cochrane Plus

Sobre todo para buscar respuestas a preguntas clínicas concretas sobre eficacia de intervenciones terapéuticas, preventivas y/o rehabilitadoras

Instrucciones de uso: muy sencillas. Empezar con una sola palabra, muy específica (buscamos RS y no suele haber muchas sobre cada tema)

La Biblioteca Cochrane Plus

la información más fiable y completa
sobre los efectos de la atención sanitaria

La Biblioteca Cochrane Plus promueve el trabajo de la Colaboración Cochrane y de otros organismos que reúnen información fiable para guiar las decisiones en la atención sanitaria

El acceso universal gratuito a la *BCP*, en **todo el territorio español**, es posible gracias a la suscripción realizada por el Ministerio de Sanidad y Poltica Social.

BIREME/OPS/OMS gestiona el nuevo Portal de Cochrane en la Biblioteca Virtual en Salud (BVS). El Portal ofrece el acceso libre a *La Biblioteca Cochrane Plus* y a sus contenidos a todos los profesionales de salud que se conecten desde **los países de América Latina y del Caribe**.

Acerca de La Biblioteca Cochrane Plus

Utilización de *La Biblioteca Cochrane Plus*

Comentarios

Soporte técnico

Manual del Revisor

Noticias

Edición de la Biblioteca Cochrane Plus:

InfoGlobal Suport

Centro Cochrane Iberoamericano

El Centro Cochrane Iberoamericano está ubicado en

HOSPITAL DE LA SANTA CREU I SANT PAU
UNIVERSITAT AUTÒNOMA DE BARCELONA

sant pau

Contribuciones a la traducción:

La traducción de las revisiones Cochrane ha sido realizada por el Centro Cochrane Iberoamericano. Asimismo, el Instituto de Salud Carlos III, a través de la Acción Especial 01/8131, y el Ministerio de Sanidad y Poltica Social, haciendo posible la suscripción universal para España, han contribuido al mantenimiento de las actividades de traducción.

Instituto

GOBIERNO DE ESPAÑA · MINISTERIO DE SANIDAD, POLÍTICA SOCIAL

La Biblioteca Cochrane Plus

2011 Número 10 ISSN 1745-9990

GOBIERNO DE ESPAÑA · MINISTERIO DE SANIDAD, POLITICA SOCIAL E IGUALDAD

Resultados de esta búsqueda:

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [0 resultados] | en total 0

Todos [0] | Revisiones Cochrane [0] | PRC Protocolos Cochrane [0] | AETS Agencias [0]

GCS Gestión [0] | K Kovacs [0] | B Bandolera [0] | ECA Registro [0] | EAP Evidencia [0] | EVP Pediatría [0]

No se encontraron documentos en esta base de datos.

© Derechos de autor Update Software Ltd | Contáctenos

La Biblioteca Cochrane Plus

2011 Número 10 ISSN 1745-9990

Resultados de esta búsqueda:

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [0 resultados] | en total 0

Todos [0] | RCT CENTRAL [0] | OPR DARE [0]

EED NHS EED [0] | HTA HTA [0] | CMR CMR [0] | CC About Cochrane [0]

No se encontraron documentos en esta base de datos.

© Derechos de autor Update Software Ltd | Contáctenos

PREGUNTA CLÍNICA ESTRUCTURADA

- En niños con otitis media recurrente
- La inserción de drenajes timpánicos
- Comparado con la no intervención
- ¿disminuye las recidivas?


galore - English-Spanish Dic...
Gmail - Recibidos (80) - mje...
La Biblioteca Cochrane Plus
http://www.update-software.com/BCP/BCPRecordsTop.asp?SessionID=0&LineID=0&SearchFor=
GOBIERNO DE ESPAÑA
MINISTERIO DE SANIDAD Y POLITICA SOCIAL
La Biblioteca Cochrane Plus
2009 Número 3 ISSN 1745-9990
No se ha conectado | Conexión
Inicio
Búsqueda simple
Búsqueda asistida
Historial
MeSH
Buscar
en
Titulo y resumen
Sin restriccíon
Titulo y resumen
Titulo
Resumen
Autor
Resultados de esta búsqueda:
Mostrar: Resultados en español [0 resultados] | Resultados en inglés [0 resultados] | en total 0
Todos [0]
Revisiones Cochrane [0]
PRC Protocolos Cochrane [0]
AETS Agencias [0]
GCS Gestión [0]
K Kovacs [0]
B Bandolera [0]
ECA Regist
No se encontraron documentos en esta base de datos.
Usar la pantalla de búsqueda simple
Introducir una o dos palabras
En el menú desplegable, elegir la opción de búsqueda que deseemos: buscar la palabra en:
“Título y resumen”
“Título”
“Resumen”
“Autor”
cmobuscarrevisionessis....ppt
Mostrar todas las descargas...
Inicio
La Biblioteca Cochra...
Bandeja de entrada ...
curso pbe enero10
2 Microsoft Office ...
ES
17:26

DeCS Server - Main Menu
MeSH Home
La Biblioteca Cochrane Plus
Gmail - Recibidos (587) - m...
http://www.update-software.com/BCP/BCPRecordsTop.asp?SessionID=352970&LineID=320044&SearchFor=(HOME+SAFETY
GOBIERNO DE ESPAÑA
MINISTERIO DE SANIDAD Y POLITICA SOCIAL
La Biblioteca Cochrane Plus
2009 Número 3 ISSN 1745-9990
No se ha conectado | Conexión
Inicio
Búsqueda simple
Búsqueda asistida
Historial
MeSH
Buscar drenajes timpanicos
en Titulo
Resultados de esta búsqueda: (HOME SAFETY):TA
Mostrar: Resultados en español [0 resultados] | Resultados en inglés [544 resultados] | en total 544
Todos [0]
Revisiones Cochrane [0]
PRC Protocolos Cochrane [0]
AETS Agencias [0]
GCS Gestión [0]
K Kovacs [0]
B Bandolera [0]
ECA Registro [0]
EAP Evidencia [0]
No se encontraron documentos en esta base de datos.
Escribimos: drenajes timpanicos
Seleccionamos la opción: título
Inicio
Bandeja de entr...
La Biblioteca Co...
curso pbe enero10
BÚSQUEDAS BI...
buscarcochrane...
ES
20:05

DeCS Server - Main Menu | MeSH Home | La Biblioteca Cochrane Plus | Gmail - Recibidos (587) - m...
http://www.update-software.com/BCP/BCPRECORDSTOP.ASP?SessionID=352970&LineID=320069&SearchFor=(DRENAJES+

GOBIERNO DE ESPAÑA · MINISTERIO DE SANIDAD Y POLÍTICA SOCIAL

La Biblioteca Cochrane Plus

2009 Número 3 ISSN 1745-9990

Resultados de esta búsqueda: (DRENAJES TIMPANICOS):TI

Aquí está nuestra búsqueda

Mostrar: Resultados en español [2 resultados] | Resultados en inglés [0 resultados] | en total 2

Todos [2] | Revisiones Cochrane [2] | PRC Protocolos Cochrane [0] | AETS Agencias [0]

GCS Gestión [0] | K Kovacs [0] | B Bandolera [0] | ECA Registro [0] | EAP Evidencia [0]

Obtenemos 2 referencias: ambas RS

Todos

vaya a la página 1 de 1 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

La primera trata de lo que buscamos

1 (2008) Drenajes timpánicos (tubos de ventilación) para la otitis media aguda recurrente en niños
Los tubos de ventilación tienen una función significativa en el mantenimiento del estado "libre de enfermedad" durante primeros meses después de la inserción. Se necesitan más investigaciones para estudiar el efecto más allá de los seis meses. Los médicos deben considerar los posibles efect

2 (2004) Drenajes timpánicos (tubos de ventilación) para la pérdida de la audición asociada a la otitis media con derrame en niños
Los beneficios de los drenajes timpánicos en los niños parecen pequeños. El efecto de los drenajes timpánicos sobre la audición disminuyó durante el primer año. Los efectos potencialmente adversos sobre el tímpano son frecuentes después de la inserción de un drenaje timpánico. Por consiguiente, un p

vaya a la página 1 de 1

© Derechos de autor Update Software Ltd | Contáctenos

Inicio | Bandeja de entr... | La Biblioteca Co... | curso pbe enero 10 | BÚSQUEDAS BI... | buscarcochrane... | ES | 20:06

DeCS Server - Main Menu | MeSH Home | La Biblioteca Cochrane ... | Drenajes timpánicos (t... | Gmail - Recibidos (587)...

http://www.update-software.com/BCP/BCPGetDocument.asp?SessionID=%20352970&DocumentID=CD004741

Pulse aquí para volver atrás

GOBIERNO DE ESPAÑA · MINISTERIO DE SANIDAD Y POLITICA SOCIAL

La Biblioteca Cochrane Plus

2009 Número 3 ISSN 1745-9990

¡Nuevo!

Enviar un comentario sobre esta revisión

In preparación

Versión para imprimir

… y accedemos a la RS

- A su texto íntegro
- Podemos visualizarla en pdf
- Podemos escoger una versión para imprimir

DRENAJES TIMPÁNICOS (TUBOS DE VENTILACIÓN) PARA LA OTITIS MEDIA AG RECURRENTE EN NIÑOS

McDonald Stephen, Langton Hewer Claire D, Nunez Desmond A

Fecha de la modificación significativa más reciente: 12 de agosto de 2008

Esta revisión debería citarse como: McDonald Stephen, Langton Hewer Claire D, Nunez Desmond A. Drenajes timpánicos (tubos de ventilación) para la otitis media aguda recurrente en niños (Revisión Cochrane traducida). En: *La Biblioteca Cochrane Plus*, 2008 Número 4. Oxford: Update Software Ltd. Disponible en: http://www.update-software.com. (Traducida de *The Cochrane Library*, 2008 Issue 3. Chichester, UK: John Wiley & Sons, Ltd.).

RESUMEN

Antecedentes

La otitis media supurativa aguda es una de las enfermedades infecciosas más frecuentes de la niñez. La otitis media aguda recurrente se define para esta revisión como tres o más infecciones agudas de la cavidad del oído medio en un período de seis meses, o al menos cuatro episodios en un año. Las estrategias para controlar la afección incluyen la evaluación y modificación de los factores de riesgo cuando sea posible, la administración de ciclos repetidos con antibióticos en cada nueva infección, profilaxis con antibióticos y la inserción de tubos de ventilación (drenajes timpánicos).

Objetivos

Establecer si la inserción de tubos de ventilación reduce la frecuencia de episodios de otitis media aguda recurrente y la proporción de niños con síntomas de enfermedades del oído.

Estrategia de búsqueda

Se hicieron búsquedas en el Registro de Ensayos del Grupo Cochrane de Enfermedades de Oído, Nariz y Garganta (Cochrane Ear, Nose and Throat Disorders Group), en el Registro Cochrane Central de Ensayos Controlados (Cochrane Central Register of Controlled Trials) (CENTRAL) (*The Cochrane Library*, número 1 2008), MEDLINE (1950 hasta 2008), EMBASE (1974 hasta 2008), CINAHL, *m*RCT (the *meta*Register of Controlled Trials for ongoing/unpublished trials), NRR (National Research Register), LILACs, KoreaMed,

Inicio | Bandeja de entr... | Drenajes timpán... | curso pbe enero10 | BÚSQUEDAS BI... | buscarcochrane... | ES | 20:09

BÚSQUEDA ASISTIDA

- **Para búsquedas complejas**
- **Permite operadores booleanos: AND, OR y NOT**
- **En cada casilla se introduce un término y se escoge el operador booleano**



Según introducimos palabras se va construyendo la estrategia en la caja de búsqueda

Resultados de esta búsqueda: (DRENAJES TIMPANICOS) AND (OTITIS MEDIA) AND (NIÑOS)

Mostrar: Resultados en español [7 resultados] | Resultados en inglés [0 resultados] | en total 7

Todos [7] | Revisiones Cochrane [5] | PRC Protocolos Cochrane [0] | AETS Agencias [0]

GCS Gestión [2] | K Kovacs [0] | B Bandolera [0] | ECA Registro [0] | EAP Evidencia [0] | EvP Pediatría [0]

Todos

vaya a la página 1 de 1 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

1 Nuevo (2010) Adenoidectomía para la otitis media en niños
Antecedentes La adenoidectomía, extracción quirúrgica de las adenoides, es una cirugía frecuente de ORL en todo el mundo en niños con otitis media. No se ha realizado anteriormente una revisión sistemática sobre la efectividad de la adenoidectomía en este grupo específico. Objetivos Evalua

2 (2008) Drenajes timpánicos (tubos de ventilación) para la otitis media aguda recurrente en niños
Los tubos de ventilación tienen una función significativa en el mantenimiento del estado "libre de enfermedad" durante los seis primeros meses después de la inserción. Se necesitan más investigaciones para estudiar el efecto más allá de los seis meses. Los médicos deben considerar los posibles efect

3 (2006) Antihistamínicos y descongestivos para la otitis media exudativa (OME) en niños
Dado que los datos agrupados no demuestran ningún beneficio o cierto daño con el uso de antihistamínicos o descongestivos solos o en combinación en el tratamiento de la OME, se hizo una recomendación en contra de su uso.

4 (2006) Autoinsuflación para la hipoacusia asociada a la otitis media con derrame
Todos los estudios fueron pequeños, con una duración del tratamiento limitada y un seguimiento corto. Sin embargo, debido al bajo coste y a la falta de efectos adversos sería razonable considerar la autoinsuflación mientras se espera la resolución natural de la otitis media con derrame. Las investig

5 (2006) Intervenciones para la secreción ótica asociada al drenaje timpánico (tubos de ventilación)
Los autores de esta revisión no han podido identificar la intervención más efectiva o evaluar los riesgos asociados. Se necesita con urgencia realizar una investigación sobre la efectividad de los antibióticos orales versus tópicos en este grupo de pacientes. Los médicos que consideran la necesidad

¿Y SI BUSCO EN INGLÉS ?

Resultados de esta búsqueda: GROMMETS:TA

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [26 resultados] | en total 26

Todos [0] | Revisiones Cochrane [0] | PRC Protocolos Cochrane [0] | AETS Agencias [0]

GCS Gestión [0] | K Kovacs [0] | B Bandolera [0] | ECA Registro [0] | EAP Evidencia [0] | EvP Pediatría [0]

No se encontraron documentos en esta base de datos.

vaya a la página 1 de 0

© Derechos de autor Update Software Ltd | Contáctenos

Resultados de esta búsqueda: GROMMETS:TA

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [26 resultados] | en total 26

Todos [26] | RCT CENTRAL [23] | OPR DARE [1]

EED NHS EED [0] | HTA HTA [2] | CMR CMR [0] | CC About Cochrane [0]

Todos

vaya a la página 1 de 3 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

HTA ☐ 1 (2008) Evidence Note 22 : The clinical and cost effectiveness of surgical insertion of grommets for otitis media with effusion (glue ear) in children

RCT ☐ 2 (2005) Bayes' theorem: a negative example of a RCT on grommets in children with glue ear.
Bayesian inference presupposes that practitioners' belief in the effectiveness of medical intervention is the product of prior belief and recent evidence from studies. Although increasingly used, up to now the posterior belief calculated according to the theorem has not been compared with an empiric

RCT ☐ 3 (2005) New adjusted analysis shows hearing level is an indicator for grommets [Abstract]

OPR ☐ 4 (2005) Grommets in otitis media with effusion: an individual patient data meta-analysis
Aims: To identify subgroups of children with otitis media with effusion (OME) that might benefit more than others from treatment with ventilation tubes. Methods: An individual patient data (IPD) meta-analysis on seven randomised controlled trials (n = 1234 children in all), focusing on interaction

RCT ☐ 5 (2004) Speech reception in noise: an indicator of benefit from otitis media with effusion surgery.
To determine possible selection criteria for ventilation tubes (VTs - grommets), in otitis media with effusion (OME), a randomized trial on 68 children was undertaken. To provide both a baseline predictor and outcome measure in auditory disability, speech-in-noise thresholds were obtained with the I

RCT ☐ 6 (2004) The use of perioperative Sofradex eardrops in preventing tympanostomy tube blockage: a prospective double-blinded randomized-controlled trial.

Resultados de esta búsqueda: GROMMETS:TA

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [26 resultados] | en total 26

Todos [26] | RCT CENTRAL [23] | OPR DARE [1]

EED NHS EED [0] | HTA HTA [2] | CMR CMR [0] | CC About Cochrane [0]

Otras revisiones publicadas

vaya a la página 1 de 1 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

OPR [ ] 1 (2005) Grommets in otitis media with effusion: an individual patient data meta-analysis

Aims: To identify subgroups of children with otitis media with effusion (OME) that might benefit more than others from treatment with ventilation tubes. Methods: An individual patient data (IPD) meta-analysis on seven randomised controlled trials (n = 1234 children in all), focusing on interaction

© Derechos de autor Update Software Ltd | Contáctenos

Resultados de esta búsqueda: GROMMETS:TA

Mostrar: Resultados en español [0 resultados] | Resultados en inglés [26 resultados] | en total 26

Todos [26] | RCT CENTRAL [23] | OPR DARE [1]

EED NHS EED [0] | HTA HTA [2] | CMR CMR [0] | CC About Cochrane [0]

Registro CENTRAL de Ensayos Clínicos Aleatorizados

vaya a la página 1 de 3 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

RCT ☐ 1 (2005) Bayes' theorem: a negative example of a RCT on grommets in children with glue ear.
Bayesian inference presupposes that practitioners' belief in the effectiveness of medical intervention is the product of prior belief and recent evidence from studies. Although increasingly used, up to now the posterior belief calculated according to the theorem has not been compared with an empiric

RCT ☐ 2 (2005) New adjusted analysis shows hearing level is an indicator for grommets [Abstract]

RCT ☐ 3 (2004) Speech reception in noise: an indicator of benefit from otitis media with effusion surgery.
To determine possible selection criteria for ventilation tubes (VTs - grommets), in otitis media with effusion (OME), a randomized trial on 68 children was undertaken. To provide both a baseline predictor and outcome measure in auditory disability, speech-in-noise thresholds were obtained with the I

RCT ☐ 4 (2004) The use of perioperative Sofradex eardrops in preventing tympanostomy tube blockage: a prospective double-blinded randomized-controlled trial.
Around 11-12% of tympanostomy tubes are reported to become blocked by middle ear secretions or blood immediately following surgery, and so no longer function. Many otologists routinely instil an antibiotic and steroid-containing solution at the time of surgery in the belief that this may reduce this

RCT ☐ 5 (2001) Randomised controlled trial of the effect of ventilation tubes (grommets) on quality of life at age 1-2 years.
AIMS: To study the effect of treatment with ventilation tubes on quality of life in children aged 1-2 years with persistent otitis media with effusion (OME), as compared to watchful waiting. METHODS: Multicentre randomised controlled trial (n = 187) with two treatment arms: ventilation tubes and wat

Buscar (GROMMETS) or (VENTILATION TUBES TUBES) and (OTITIS MEDIA WITH EFFUSION) and (CHILDREN)

Período de fechas: - Estado Todos en Sin restricción

Buscar	GROMMETS
or	VENTILATION TUBES TUBES
and	OTITIS MEDIA WITH EFFUSION
and	CHILDREN
and	
and	

© Derechos de autor Update Software Ltd | Contáctenos

Resultados de esta búsqueda: (GROMMETS) OR (VENTILATION TUBES TUBES) AND (OTITIS MEDIA WITH EFFUSION) AND (CHILDREN)

Mostrar: Resultados en español [9 resultados] | Resultados en inglés [27 resultados] | en total 36

Todos [9] | Revisiones Cochrane [7] | PRC Protocolos Cochrane [0] | AETS Agencias [0]

GCS Gestión [2] | K Kovacs [0] | B Bandolera [0] | ECA Registro [0] | EAP Evidencia [0] | EvP Pediatría [0]

Todos

vaya a la página 1 de 1 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

1 Nuevo (2010) Adenoidectomía para la otitis media en niños

Antecedentes La adenoidectomía, extracción quirúrgica de las adenoides, es una cirugía frecuente de ORL en todo el mundo en niños con otitis media. No se ha realizado anteriormente una revisión sistemática sobre la efectividad de la adenoidectomía en este grupo específico. Objetivos Evalua

2 Nuevo (2010) Adenoidectomía para los síntomas nasales recurrentes o crónicos en niños

Antecedentes La adenoidectomía, la extracción quirúrgica de las adenoides, es una operación de otorrinolaringología (ORL) que se realiza frecuentemente en todo el mundo en los niños con síntomas nasales recurrentes o crónicos. No se ha realizado una revisión sistemática sobre la efectividad de

3 (2006) Antihistamínicos y descongestivos para la otitis media exudativa (OME) en niños

Dado que los datos agrupados no demuestran ningún beneficio o cierto daño con el uso de antihistamínicos o descongestivos solos o en combinación en el tratamiento de la OME, se hizo una recomendación en contra de su uso.

4 (2006) Autoinsuflación para la hipoacusia asociada a la otitis media con derrame

Todos los estudios fueron pequeños, con una duración del tratamiento limitada y un seguimiento corto. Sin embargo, debido al bajo coste y a la falta de efectos adversos sería razonable considerar la autoinsuflación mientras se espera la resolución natural de la otitis media con derrame. Las investig

5 (2006) Identificación de niños de hasta cuatro años para el tratamiento precoz de la otitis media con derrame

Los ensayos aleatorios identificados no demuestran ningún beneficio importante sobre el desarrollo del lenguaje y la conducta a partir del cribado de la población general de niños asintomáticos de hasta cuatro años para la OMD. Sin

Resultados de esta búsqueda: (GROMMETS) OR (VENTILATION TUBES TUBES) AND (OTITIS MEDIA WITH EFFUSION) AND (CHILDREN)

Mostrar: Resultados en español [9 resultados] | Resultados en inglés [27 resultados] | en total 36

Todos [27] | RCT CENTRAL [23] | OPR DARE [1]

EED NHS EED [0] | HTA HTA [2] | CMR CMR [0] | CC About Cochrane [1]

Todos

vaya a la página 1 de 3 Resultados por página: 10 | 20 | 50 | 100

Seleccione todos | Quite las selecciones | Guardar las referencias seleccionadas

HTA [ ] 1 (2008) Evidence Note 22 : The clinical and cost effectiveness of surgical insertion of grommets for otitis media with effusion (glue ear) in children

RCT [ ] 2 (2005) Bayes' theorem: a negative example of a RCT on grommets in children with glue ear.
Bayesian inference presupposes that practitioners' belief in the effectiveness of medical intervention is the product of prior belief and recent evidence from studies. Although increasingly used, up to now the posterior belief calculated according to the theorem has not been compared with an empiric

RCT [ ] 3 (2005) New adjusted analysis shows hearing level is an indicator for grommets [Abstract]

OPR [ ] 4 (2005) Grommets in otitis media with effusion: an individual patient data meta-analysis
Aims: To identify subgroups of children with otitis media with effusion (OME) that might benefit more than others from treatment with ventilation tubes. Methods: An individual patient data (IPD) meta-analysis on seven randomised controlled trials (n = 1234 children in all), focusing on interaction

RCT [ ] 5 (2004) Speech reception in noise: an indicator of benefit from otitis media with effusion surgery.
To determine possible selection criteria for ventilation tubes (VTs - grommets), in otitis media with effusion (OME), a randomized trial on 68 children was undertaken. To provide both a baseline predictor and outcome measure in auditory disability, speech-in-noise thresholds were obtained with the I

RCT [ ] 6 (2004) The use of perioperative Sofradex eardrops in preventing tympanostomy tube blockage: a prospective double-blinded

La Biblioteca Cochrane Plus

2011 Número 10 ISSN 1745-9990

ATENCIÓN: Por el momento, esta versión Beta de la Biblioteca Cochrane Plus no permite realizar búsquedas utilizando términos descriptores (MeSH). Estamos trabajando para añadir a la base de datos esta función lo antes posible. Disculpen las molestias que este hecho pueda causarles.

TALLER de búsquedas: TRIP DATABASE

GTPBE
Grupo de Trabajo de Pediatría Basada en la Evidencia

Curso PBE, Alicante

Alicante, 24 y 25 noviembre 2011

Register now for FREE access to a host of extra features....

SIGN UP!

trip database

rip Database - Clinical Search Engine

e TRIP Database is a clinical search tool designed to allow health professionals to rapidly ntify the highest quality clinical evidence for clinical practice.

gistered users (registration is free) benefit from extra features such as CPD, search history, and aborative tools. Register here, or Login if you have registered before.

d out more about Trip Database.

Help us to identify evidence for the developing world.
Click here for further details.

GENERALIDADES

- **Es un metabuscador de publicaciones secundarias**
- **Busca simultáneamente en decenas de bases de datos**
- **De interés para nosotros: recuperación de GPC, resúmenes basados en la evidencia y revisiones sistemática**


DeCS Server - Main Menu
MeSH Home
Gmail - empresa de pu...
http://www.ijam.es/
Trip Database
http://www.tripdatabase.com/
Home Login Register Labs (NEW!)
trip database
Search
Advanced Search History Search Tips
Trip Database - Clinical Search Engine
The TRIP Database is a clinical search tool designed to allow health professionals to rapidly identify the highest quality clinical evidence for clinical practice.
Registered users (registration is free) benefit from extra features such as CPD, search history, and collaborative tools. Register here, or Login if you have registered before.
Find out more about Trip Database.
Podemos hacer una búsqueda simple o utilizar la opción "advanced search"
HOME
ABOUT
FAQ
CONTACT US
TERMS OF WEBSITE USE
PRIVACY
ACCEPTABLE USE POLICY
SOURCES SEARCHED BY TRIP
ADD TRIP TO YOUR SITE
FOLLOW US ON TWITTER
TRIP BLOG
IN ASSOCIATION WITH:
Glycosmedia
Clinical Correlations
Inicio
Bandeja de ent...
Trip Database -...
curso pbe ener...
BÚSQUEDAS BI...
buscarcontripd...
ES
21:04

PANTALLA DE BÚSQUEDA AVANZADA



Register now for FREE access to a host of extra features....

SIGN UP!

trip database

dvanced Search

ll of these words:

YMPANOSTOMY

Title only Anywhere in the document

ny of these words:

Title only Anywhere in the document

his exact phrase:

Title only Anywhere in the document

ot any of these words:

Title only Anywhere in the document

tart year (inclusive):

nd year (inclusive):

Search

Home About Login Register Labs

Aquí aparece nuestra estrategia de búsqueda:
Hemos escrito “tympanostomy” y buscar solo en el “título”

(title:TYMPANOSTOMY) Search Advanced Search History Search Tips Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE	83
All Secondary Evidence	7
Evidence Based Synopses	4
Systematic Reviews	3
Guidelines	
Aus. & NZ	0
Canada	0
UK	0
USA	0
Other	0
Clinical Q&A	0
Core primary research	3
Extended primary research	73
eTextbooks	0
Patient Decision Aids	0
Patient Information	0
More	0
News	0
MEDICAL IMAGES	2
MEDICAL VIDEOS	0
MEDICAL EDUCATION	
USA	0

SEARCH RESULTS

Select All Choose Your Action

1. Tympanostomy tube insertion for otitis media in children
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSEMENT 2008
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

2. Prompt insertion of tympanostomy tubes in infants and toddlers with persistent middle ear effusion did not improve developmental outcomes at 9–11 years of age
   EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2008
   CPD/CME Developing World? Related ~~Conclusion~~ Preview

3. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of acute otitis media in tympanostomy tube patients in the US
   NHS ECONOMIC EVALUATION DATABASE. 2007
   CPD/CME Developing World? Related ~~Conclusion~~ Preview

4. The relationship between repeat tympanostomy tube insertion and adenoidectomy.
   INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011
   CPD/CME Developing World? Related ~~Conclusion~~ Preview DOI Full text

5. A systematic review of the effect of tympanostomy tubes in children with

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

ClinicalTrials.gov

0 trials

BNF RESULTS

BNF

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE 83

- All Secondary Evidence 7
  - Evidence Based Synopses 4
  - Systematic Reviews 3
  - Guidelines
    - Aus. & NZ 0
    - Canada 0
    - UK 0
    - USA 0
    - Other 0
- Clinical Q&A 0
- Core primary research 3
- Extended primary research 73
- eTextbooks 0
- Patient Decision Aids 0
- Patient Information 0
- More 0
- News 0

MEDICAL IMAGES 2

MEDICAL VIDEOS 0

MEDICAL EDUCATION

- USA 0
- UK 0

Suitable for the Developing World

BY CLINICAL AREA What does this mean?

- Otolaryngology-ENT 83
- Pediatrics 42
- Infectious Disease 39
- Surgery 10
- Anesthesiology 5
- Hematology 3
- Gastroenterology 1
- Pulmonology 1

Select All | Choose Your Action

1. Tympanostomy tube insertion for otitis media in children

   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2008

   CPD/CME Developing World? Related Conclusion Preview

2. Prompt insertion of tympanostomy tubes in infants and toddlers with persistent middle ear effusion did not improve developmental outcomes at 9–11 years of age

   EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2008

   CPD/CME Developing World? Related Conclusion Preview

3. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of a … e US

   NHS ECONOM…

   CPD/CME Deve…

4. The relation… …d adenoidectom…

   INTERNATIONA…

   CPD/CME Deve… text

5. A systematic… …en with recurrent acute otitis media.

   INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011

   CPD/CME Developing World? Related Conclusion Preview DOI Full text

6. Topical antibiotic treatment reduces tympanostomy tube biofilm formation.

   LARYNGOSCOPE 2011

   CPD/CME Developing World? Related Conclusion Preview DOI Full text

7. Biofilm formation on silicone tympanostomy tubes with polyvinylpyrrolidone coating.

   ARCHIVES OF OTOLARYNGOLOGY HEAD AND NECK SURGERY 2011

   CPD/CME Developing World? Related Conclusion Preview DOI Full text

8. Adenoidectomy plus tympanostomy tube insertion versus adenoidectomy

Y nos ofrece enlaces incluso a artículos de Medline, ensayos clínicos y a imágenes relacionadas con nuestra búsqueda

MEDLINE ARTICLES PubMed.gov

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS ClinicalTrials.gov

0 trials

BNF RESULTS BNF

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

More from Blitter, TRIP's social media search tool...

IMAGES




(title:TYMPANOSTOMY)
Search
Advanced Search
History
Search Tips
Translate
FILTER SEARCH
Order By: Date Relevance
(Showing all results - Only show new)
EVIDENCE 83
All Secondary Evidence 7
Evidence Based Synopses 4
Systematic Reviews 3
Guidelines
Aus. & NZ 0
Canada 0
UK 0
USA 0
Other 0
Clinical Q&A 0
Core primary research 3
Extended primary research 73
eTextbooks 0
Patient Decision Aids 0
Patient Information 0
More 0
News 0
MEDICAL IMAGES 2
MEDICAL VIDEOS 0
MEDICAL EDUCATION
USA 0
UK 0
Suitable for the Developing World
BY CLINICAL AREA What does this mean?
Otolaryngology-ENT 83
Pediatrics 42
Infectious Disease 39
SEARCH RESULTS
Select All
Choose Your Action
1. Tympanostomy tube insertion for otitis media in children
SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2008
CPD/CME Developing World? Related Conclusion Preview
2. Prompt insertion of tympanostomy tubes in infants and toddlers with persistent middle ear effusion did not improve developmental outcomes at 9–11 years of age
EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2008
CPD/CME Developing World? Related Conclusion Preview
3.
Si hacemos clik en “Systematic reviews”,se pone en negro, y aparecen solo las dos RS sobre el tema
4. The relationship between repeat tympanostomy tube insertion and adenoidectomy.
INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011
CPD/CME Developing World? Related Conclusion Preview DOI Full text
5. A systematic review of the effect of tympanostomy tubes in children with recurrent acute otitis media.
INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011
CPD/CME Developing World? Related Conclusion Preview DOI Full text
6. Topical antibiotic treatment reduces tympanostomy tube biofilm formation.
LARYNGOSCOPE 2011
CPD/CME Developing World? Related Conclusion Preview DOI Full text
ASSOCIATED RESULTS
MEDLINE ARTICLES
Therapy 249
Etiology 144
Diagnosis 32
Prognosis 157
Systematic Reviews 40
CLINICAL TRIALS
ClinicalTrials.gov
0 trials
BNF RESULTS
BNF
RELATED ARTICLES
Choose some articles on the left to see related...
CLINICAL CALCULATORS
We found no calculators related to this search - can you recommend any?
RESULTS FROM BLITTER
More from Blitter, TRIP's social media search tool...

(title:TYMPANOSTOMY)

Search Advanced Search History Search Tips

Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE	83
All Secondary Evidence	7
Evidence Based Synopses	4
Systematic Reviews	3
Guidelines	
Aus. & NZ	0
Canada	0
UK	0
USA	0
Other	0
Clinical Q&A	0
Core primary research	3
Extended primary research	73
eTextbooks	0
Patient Decision Aids	0
Patient Information	0
More	0
News	0
MEDICAL IMAGES	2
MEDICAL VIDEOS	0
MEDICAL EDUCATION	
USA	0

SEARCH RESULTS

Select All Choose Your Action

1. Tympanostomy tube insertion for otitis media in children

SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2008

CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

2. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of acute otitis media in tympanostomy tube patients in the US

NHS ECONOMIC EVALUATION DATABASE. 2007

CPD/CME Developing World? Related ~~Conclusion~~ Preview

3. Does topical antibiotic prophylaxis reduce post-tympanostomy tube otorrhea?

DARE. 1994

CPD/CME Developing World? Related ~~Conclusion~~ Preview

End of results

Show synonyms used

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

0 trials

BNF RESULTS

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

(title:TYMPANOSTOMY) Search Advanced Search History Search Tips Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE 83
- All Secondary Evidence 7
  - Evidence Based Synopses 4
  - **Systematic Reviews** 3
  - Guidelines
    - Aus. & NZ 0
    - Canada 0
    - UK 0
    - USA
    - Other
- Clinical Q&A
- Core primary research
- Extended primary research
- eTextbooks 0
- Patient Decision Aids 0
- Patient Information 0
- More 0
- News 0

MEDICAL IMAGES 2
MEDICAL VIDEOS 0
MEDICAL EDUCATION
- USA 0

SEARCH RESULTS

Select All | Choose Your Action

Choose Your Action
Email selected links to a friend
Open selected links
Export selected links as a CSV file
Export selected links as an RIS file

1. Tympani… media in children
SWEDISH … EMENT 2008
CPD/CME Developing World? Related Conclusion Preview

2. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of acute otitis media in tympanostomy tube patients in the US
NHS ECONOMIC EVALUATION DATABASE. 2007
CPD/CME Developing World? Related Conclusion Preview

Seleccionamos la que nos interesa y elegimos la opción "open selected links"

CPD/CME Developing World? Related Conclusion Preview

End of results

Show synonyms used

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

0 trials

BNF RESULTS

View full results on bnf.org...

RELATED ARTICLES

1. Prosthetic rehabilitation of partially dentate or edentulous patients
SWEDISH COUNCIL ON TECHNOLOGY ASSESSEMENT 2010

1 / 28 149% Buscar

Summary and Conclusions of the SBU Report:

Tympanostomy tube insertion for otitis media in children

A Systematic Review

September 2008

Project Group:

Sten Hellström (Chair)
Susanna Axelsson
(Assistant Project Director)
Kristina Bengtsson Boström
Ingemar Eckerlund
Finn Jörgensen
Jonas Lindblom
Agneta Pettersson
(Project Director)
Marie Ryding

Descargando 338,95 KB de 1,54 MB

Medical Education Courses

(title:TYMPANOSTOMY) Search Advanced Search History Search Tips Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE 83
- All Secondary Evidence 7
  - **Evidence Based Synopses** 4
  - Systematic Reviews 3
  - Guidelines
    - Aus. & NZ 0
    - Canada 0
    - UK 0
    - USA 0
    - Other 0
- Clinical Q&A 0
- Core primary research 3
- Extended primary research 73
- eTextbooks 0
- Patient Decision Aids 0
- Patient Information 0
- More 0
- News 0

MEDICAL IMAGES 2

MEDICAL VIDEOS 0

MEDICAL EDUCATION
- USA 0
- UK 0

Suitable for the Developing World

BY CLINICAL AREA What does this mean?

Otolaryngology-ENT 83

SEARCH RESULTS

Select All Choose Your Action

1. Prompt insertion of tympanostomy tubes in infants and toddlers with persistent middle ear effusion did not improve developmental outcomes at 9–11 years of age
   EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2008
   CPD/CME Developing World? Related Conclusion Preview

2. Tympanostomy Tubes and Language Development
   EVIDENCE-BASED PEDIATRICS 2004
   CPD/CME Developing World? Related Conclusion Preview

3. No difference existed in developmental outcomes at 3 years of age between early or delayed tympanostomy for otitis media
   EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2001
   CPD/CME Developing World? Related Conclusion Preview

4. Developmental outcomes did not differ for early or delayed tympanostomy tube insertion in young children with otitis media
   EVIDENCE-BASED NURSING (REQUIRES FREE REGISTRATION) 2001
   CPD/CME Developing World? Related Conclusion Preview

End of results

Show synonyms used

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

0 trials

BNF RESULTS

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

More from Blitter, TRIP's social media search

patients and caregivers through our network of sites.
Click here to find out more!

TYMPANOSTOMY

Search | Advanced Search | History | Search Tips | Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE	318
All Secondary Evidence	48
Evidence Based Synopses	16
Systematic Reviews	20
Guidelines	
Aus. & NZ	1
Canada	1
UK	5
USA	5
Other	0
Clinical Q&A	3
Core primary research	7
Extended primary research	204
eTextbooks	52
Patient Decision Aids	0
Patient Information	2
More	0
News	2
MEDICAL IMAGES	2
MEDICAL VIDEOS	0
MEDICAL EDUCATION	
USA	0
UK	0

Suitable for the Developing World

BY CLINICAL AREA What does this mean?

Otolaryngology-ENT	270

SEARCH RESULTS

Select All | Choose Your Action

1. Tympanostomy tube insertion for otitis media in children
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2008
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

2. Prompt insertion of tympanostomy tubes in infants and toddlers with persistent middle ear effusion did not improve developmental outcomes at 9–11 years of age
   EVIDENCE-BASED MEDICINE (REQUIRES FREE REGISTRATION) 2008
   CPD/CME Developing World? Related ~~Conclusion~~ Preview

3. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of acute otitis media in tympanostomy tube patients in the US
   NHS ECONOMIC EVALUATION DATABASE. 2007
   CPD/CME Developing World? Related ~~Conclusion~~ Preview

4. The relationship between repeat tympanostomy tube insertion and adenoidectomy.
   INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011
   CPD/CME Developing World? Related ~~Conclusion~~ Preview DOI Full text

5. A systematic review of the effect of tympanostomy tubes in children with recurrent acute otitis media.
   INTERNATIONAL JOURNAL OF PEDIATRIC OTORHINOLARYNGOLOGY 2011
   CPD/CME Developing World? Related ~~Conclusion~~ Preview DOI Full text

6. Topical antibiotic treatment reduces tympanostomy tube biofilm formation.
   LARYNGOSCOPE 2011

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

40 trials

BNF RESULTS

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

- Thanks! Better to perform adenoidectomy at the same time when inserting

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE	318
All Secondary Evidence	48
Evidence Based Synopses	16
Systematic Reviews	20
Guidelines	
Aus. & NZ	1
Canada	1
UK	5
USA	5
Other	0
Clinical Q&A	3
Core primary research	7
Extended primary research	204
eTextbooks	52
Patient Decision Aids	0
Patient Information	2
More	0
News	2
MEDICAL IMAGES	2
MEDICAL VIDEOS	0
MEDICAL EDUCATION	
USA	0
UK	0

☐ Suitable for the Developing World

BY CLINICAL AREA What does this mean?

Otolaryngology-ENT	270
Infectious Disease	152
Pediatrics	147
Surgery	36
Anesthesiology	13
Pulmonology	11
Critical Care	6

SEARCH RESULTS

☐ Select All Choose Your Action

1. Tympanostomy tube insertion for otitis media in children
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2008
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

2. Cost of ciprofloxacin/dexamethasone vs amoxicillin/clavulanic acid for the treatment of acute otitis media in tympanostomy tube patients in the US
   NHS ECONOMIC EVALUATION DATABASE. 2007
   CPD/CME Developing World? Related ~~Conclusion~~ Preview

3. Medical and Psychological Methods for Preventing Sexual Offences Against Children
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2011
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

4. Prosthetic rehabilitation of partially dentate or edentulous patients
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2010
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

5. Methods of Diagnosis and Treatment in Endodontics
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2010
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

6. How Can Drug Consumption among the Elderly be Improved?
   SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT 2010
   CPD/CME Developing World? Related ~~Conclusion~~ ~~Preview~~

7. Adenoidectomy for recurrent or chronic nasal symptoms in children
   COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2010
   CPD/CME Developing World? Related Conclusion Preview DOI

8. Adenoidectomy for otitis media in children
   COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2010

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

ClinicalTrials.gov

40 trials

BNF RESULTS

BNF

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

- Thanks! Better to perform adenoidectomy at the same time when inserting tympanostomy tube
- Ear Examination and Otoscopy: Perforation
- Primary immunodeficiencies were very prevalent in children suffering from longstanding post tympanic otorrhoea

MEDICAL IMAGES 2
MEDICAL VIDEOS 0
MEDICAL EDUCATION
USA 0
UK 0

Suitable for the Developing World

BY CLINICAL AREA What does this mean?

Otolaryngology-ENT 270
Infectious Disease 152
Pediatrics 147
Surgery 36
Anesthesiology 13
Pulmonology 11
Critical Care 6
Gastroenterology 6
Hematology 6
Neurology 5
Rheumatology 5
Dermatology 4
Endocrinology 4
Allergies and Immunology 3
OB-Gyn 3
Oncology 2
Cardiology 1
Geriatrics 1
Ophthalmology 1
Orthopedic 1
Physical Medicine 1
Primary Care 1
Psychiatry 1
Radiology 1

What have you learnt today? TILT

CPD/CME Developing World? Related Conclusion Preview

5. Methods of Diagnosis and Treatment in Endodontics
SWEDISH COUNCIL ON TECHNOLOGY ASSESSEMENT 2010
CPD/CME Developing World? Related Conclusion Preview

6. How Can Drug Consumption among the Elderly be Improved?
SWEDISH COUNCIL ON TECHNOLOGY ASSESSEMENT 2010
CPD/CME Developing World? Related Conclusion Preview

7. Adenoidectomy for recurrent or chronic nasal symptoms in children
COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2010
CPD/CME Developing World? Related Conclusion Preview DOI

8. Adenoidectomy for otitis media in children
COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2010
CPD/CME Developing World? Related Conclusion Preview DOI

9. Economic evaluation of childhood 7-valent pneumococcal conjugate vaccination in Korea
NHS ECONOMIC EVALUATION DATABASE. 2010
CPD/CME Developing World? Related Conclusion Preview

10. New vaccines against otitis media: projected benefits and cost-effectiveness
NHS ECONOMIC EVALUATION DATABASE. 2009
CPD/CME Developing World? Related Conclusion Preview

11. Interventions for ear discharge associated with grommets (ventilation tubes)
COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2006
CPD/CME Developing World? Related Conclusion Preview DOI

12. Grommets (ventilation tubes) for hearing loss associated with otitis media with effusion in children
COCHRANE DATABASE OF SYSTEMATIC REVIEWS 2004
CPD/CME Developing World? Related Conclusion Preview DOI

13. Nonsevere acute otitis media: a clinical trial comparing outcomes of

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

- Thanks! Better to perform adenoidectomy at the same time when inserting tympanostomy tube
- Ear Examination and Otoscopy: Perforation
- Primary immunodeficiencies were very prevalent in children suffering from longstanding post tympanic otorrhoea

More from Blitter, TRIP's social media search tool...

IMAGES

See more images

DOC2DOC

TRIP is working with Doc2Doc to help connect you with clinical colleagues

Add your health-related web site today.

TYMPANOSTOMY

Search | Advanced Search | History | Search Tips | Translate

FILTER SEARCH

Order By: Date **Relevance**

(Showing *all* results - Only show new)

EVIDENCE	318
All Secondary Evidence	48
Evidence Based Synopses	16
Systematic Reviews	20
Guidelines	
Aus. & NZ	1
Canada	1
UK	5
USA	5
Other	0
Clinical Q&A	3
Core primary research	7
Extended primary research	204
eTextbooks	52
Patient Decision Aids	0
Patient Information	2
More	0
News	2
MEDICAL IMAGES	2
MEDICAL VIDEOS	0
MEDICAL EDUCATION	
USA	0
UK	0

Suitable for the Developing World

BY CLINICAL AREA What does this mean?

Otolaryngology ENT 270

SEARCH RESULTS

Select All | Choose Your Action

1. Otitis media - acute
   PRODIGY 2009
   CPD/CME | Developing World? | Related | ~~Conclusion~~ | Preview

2. Prescribing of antibiotics for self-limiting respiratory tract infections in adults and children in primary care
   NATIONAL INSTITUTE FOR HEALTH AND CLINICAL EXCELLENCE - CLINICAL GUIDELINES (UK) 2008
   CPD/CME | Developing World? | Related | ~~Conclusion~~ | ~~Preview~~

3. Otitis media - chronic suppurative
   PRODIGY 2008
   CPD/CME | Developing World? | Related | ~~Conclusion~~ | Preview

4. Otitis externa
   PRODIGY 2007
   CPD/CME | Developing World? | Related | ~~Conclusion~~ | Preview

5. Basic medical surveillance for people with Down's Syndrome : hearing impairment
   NATIONAL LIBRARY OF GUIDELINES (UK) 2000
   CPD/CME | Developing World? | Related | ~~Conclusion~~ | ~~Preview~~

End of results

Show synonyms used

ASSOCIATED RESULTS

MEDLINE ARTICLES

Therapy	249
Etiology	144
Diagnosis	32
Prognosis	157
Systematic Reviews	40

CLINICAL TRIALS

40 trials

BNF RESULTS

View full results on bnf.org...

RELATED ARTICLES

Choose some articles on the left to see related...

CLINICAL CALCULATORS

We found no calculators related to this search - can you recommend any?

RESULTS FROM BLITTER

- Thanks! Better to perform adenoidectomy